


UF-8200 / 7200 Options



Consumables

Item	Order Number	Remarks
All-in-One Cartridge	UG-5570	10K (Based on 3% coverage)*1

Options

Item	Order Number	Remarks
Internet Fax / Email / Network Scanner Module	UE-404093	Standard for UF-8200
G3 Communication Port Kit	UE-407029	
2nd Paper Feed Module	UE-409080	550 sheets
Handset Kit	UE-403185	

Features

- Auto Dialer: 580 stations Standard (up to 1000 stations with optional SD memory card)
- One-touch Auto Dial : up to 80 stations
- Abbreviated Dial: up to 500 stations
- Maximum Digits for Telephone number: 36 digits
- Program Keys (up to 80 programs)
- Multi-Tasking Operation
- Directory Search Dialling
- Directory Sheet Print
- Intelligent Redial
- Chain Dialling
- Quick Memory Transmission
- Multi-Station Transmission (up to 630 stations)
- Deferred Transmission
- Deferred Multi-Station Transmission
- Duplex Transmission
- Misdial Prevention
- Junk Fax Filter
- Receive To Memory
- Substitute Reception
- Number of memory job files (Max. 50 files)
- Fax Forward (G3/Email)
- Polling/Multi-Station Polling
- Deferred Polling/Deferred Multi-Station Polling
- Memory Polling Transmission (1 file)
- ITU-T Sub-address Transmission
- 256-level Halftone
- Automatic/Fixed Reduction
- Collation Stack
- Email Report (UF-8200)
- Verification Stamp
- Confirmation Journal with image data
- Header/Total Page Print
- Transmission Journal with view mode
- Fax Access Code (Fax Lock)
- Department Code (up to 150)
- Multiple Copy with Sorting (up to 99)
- Zoom/Reduction Copy
- Sort Copy

- Energy Saver
- Check and Call Function (G3/Email)
- Remote Diagnostic System (G3/Email)*2

- User Authentication*3
- Job Tracking*3
- Fax Transmission via Right Fax Server*3
- LDAP 2 compatible
- SMTP Authentication

Standard Software

- PC Fax software (Fax Driver/Panafax Desktop)
- Quick Image Navigator
- Network Address Book Editor
- Network Configuration Editor
- Network Status Monitor

UF-8200 / 7200 Specifications

General

Type	Desktop
Power Requirements	AC 120V, 50/60 Hz
Power Consumption	Max.: Less than 1.0 kW Power saver mode: Approx. 9.5 W Sleep mode: Approx. 4.5 W
Dimensions (W x D x H)*4	17.3" x 17.7" x 14.2" (440mm x 450mm x 360mm)
Weight	28kg

Fax

Compatibility	ITU-T Group 3, ECM
Modem Speed	33.6 kbps - 2.4 kbps with automatic fallback
Coding Scheme	MH/MR/MMR/JBIG
Transmission Speed*5	Approx 2.7 seconds / page (Letter)
Number of Memory Job Files	50
Document Size	Max: 8.5" x 78.7" (216 mm x 2000 mm)*6 with operator's assistance Min: 5.8" x 5.0" (148 mm x 128 mm)
Effective Scanning Width	8.34" (212mm)
Automatic Document Feeder	Up to 100 pages (20 lb, 75g/m ²)
Scanning Speed*7	Approx. 0.7 seconds/page (Letter) UF-8200 Approx. 1.4 seconds/page (Letter) UF-7200
Scanning Resolution	Standard: 203 dots/inch x 98 lines/inch Fine: 203 dots /inch x 98 lines/inch Super Fine: 406 dots/inch x 391 lines/inch 600 dpi: 600 dpi x 600 dpi
Recording Method	Monochrome laser printing on plain paper
Recording Paper Size	Letter/Legal
Effective Recording Width	8.15" (207mm)
Paper Feed	Standard Tray: 550 sheets Optional Paper Feed: 550 sheets
Image Memory Capacity*8	Standard: 12 MB (720 pages) (UF-8200) 3 MB (180 pages) (UF-7200) Optional (SD Card) : Max. 2GB
Number of Auto Dialers	Standard: 500 Max: 1000 with optional SD Card

Note

*1 Based on ITU-T Image No.1. Yield may vary according to operating conditions and environment where the machine is installed.

*2 Requires Remote Diagnostic System software.

*3 For UF-7200, requires optional Internet Fax/Email/Network Scanner Module.

*4 Dimensions and weight are approximate.

*5 Transmission time applies to memory transmission of text data using only ITU-T Image No.1 between the same models at maximum modem speed. Transmission time may vary in actual usage. Usually public telephone lines can only support communication speeds of 28.8 kbps or lower. Via PBX, transmission speed may fall back to a lower speed.

*6 Standard/Fine mode.

*7 Scanning speed applies to the feeding process from the top to the end of a single page test chart. The time for the feeding process does not include the time that it takes for the top edge of the page to reach the scanning point and page ejection. Time for entire storing process is not applied.

*8 Based on ITU-T Image No.1 scanned in Standard Mode.

*9 Speeds are contingent upon application, machine configuration, and status. Individual speeds may vary.

*10 With optional Printer Controller Module.

*11 Internet Fax only supports TIFF-FX format.

Design and specifications are subject to change without notice.

Microsoft® Windows® is a registered trademark of Microsoft Corporation.

All other brand or product names are the property of their respective holders.

This Product is designed to reduce hazardous chemical substances in compliance with the RoHS directive.

Printer

Network Printer Interface	Ethernet 10Base-T/100Base-TX
Local Printer Interface	USB 1.1
Printing Speed*9	19 ppm
Paper Size	Letter/Legal
Printing Resolution	600 x 1200 dpi equivalent*10
Printer Memory	32MB
Standard Network Printing	Panasonic Printing System for Windows
Compatible Operating System	Windows Vista, Windows XP/2000/Server 2003

Network Scanner / Scan-to-Email

Network Scanner Interface	Ethernet 10Base-T/100Base-TX
Scanning Resolution	600 x 600 dpi, 300 x 300 dpi, 150 x 150 dpi
Data Format	TIFF, PDF

Internet Fax

Compatibility	IETF RFC 3965, ITU-T T.37
Communication Protocol	TCP/IP, SMTP, POP3, MIME
Network Connectivity	Ethernet 10Base-T/100Base-TX
Data Format*11	TIFF-F (Profile S/F/J)

Dimensions*4



Panasonic®

Panasonic Communications Company of North America
One Panasonic Way, Secaucus, NJ 07094
For a local dealer, please call 1-800-742-8086
panasonic.com/office



ISO 9001
Quality Management System

Our business processes which produce document, information and network products, from manufacturing to marketing, conform to ISO9001 Quality Management Systems standard. Design, development, manufacture, installation, repair and maintenance of document, information and network products, their associated devices and consumables. In addition, the plants outside Japan have acquired ISO9001 certification.